

Technical Data

ROCOL®

Performance you can trust

CHAIN & DRIVE SPRAY

Chain lubricant spray

Description

Chain & Drive Spray is based on heat-resisting oil combined with colloidal molybdenum disulphide designed for use on all types of chains.

The aerosol method of application ensures penetration to the pins and bushes of roller chains, while the excellent lubricating qualities of the additives make sure there is minimum wear of chains and sprockets.

Areas of application

- Drive chains
- Steering chains
- Conveyor chains
- Hoist chains
- Forklift chains

Features

- Fast penetration to the pins and bushes
- High water resistance
- Thin residual film, which will not drip or throw off
- Minimum pickup of surface dirt and fibres
- Jet spray for easy application
- MPI Approved C12 (All animal product except dairy)

The information contained in this Technical Bulletin is as up to date and correct as possible as at the time of issue. The data provided should be used as a guide only as the performance of the product will vary depending on differing operating conditions and application methods.

The sale of any product described in this Technical Bulletin will be in accordance with ITW Polymers & Fluids Conditions Of Sale, a copy of which is available on request. To the extent permitted by law, ITW Polymers & Fluids excludes all other warranties in relation to this product.

Technical data

Appearance Black Liquid
Lubricating Solids Molybdenum Disulphide
Temperature Range
 Operating -10°C to 150°C
 Storage -10°C to 150°C
Propellant Carbon Dioxide CO₂

Directions for use

Shake well before use. Hold can upright and spray from a distance of 15 to 30 cm. Use only as directed.

Storage and Shelf Life

Store in dry conditions between 0°C and 50°C, away from sources of heat and naked flames. When stored in original sealed containers, the minimum shelf life is two (2) years.

Packaging

Chain & Drive Spray is available in 300g Aerosol size.

Ordering Information:

300g Aerosol #RY442352

TDG Code: Aerosol - UN 1950

Warning

Aerosol spray is pressurised, handle according to instructions on label. Avoid breathing vapour or spray mist. Provide adequate ventilation in confined spaces. Avoid contact with skin and eyes. Follow first aid measures according to the Material Safety Data Sheet.

Health & Safety Information

The product is hazardous according to Worksafe Australia criteria. A Material Safety Data Sheet is available from the ITW Polymers & Fluids Technical Department upon request or available on our website www.rocol.com.au.

AUSTRALIA

ITW Polymers & Fluids
100 Hassall Street
Wetherill Park NSW 2164
Phone (02) 9757 8800 Fax (02) 9757 3855

NEW ZEALAND

ITW Polymers & Fluids
Unit 2 / 38 Trugood Drive
East Tamaki 2013, Auckland
Phone (09) 272 1945 Fax (09) 273 6489