

TECHNICAL DATA

SCRUBS GRAFFITI & SPRAYPAINT REMOVER

Description

SCRUBS® Graffiti and Paint Remover Towels combine a high-quality graffiti remover formula with an absorbent, abrasive, non-scratching towel. This product will loosen and remove graffiti and spray paint, allowing the towel to absorb and hold residue without re-depositing paint on surface.

Areas of application

- Metal
- Porcelain
- Stainless Steel
- Glass
- Vinyl
- Aluminium
- Formica
- Cement or Brick
- Baked Enamel Paints

Features

- One-Step process
- Convenient and economical
- Portable

Directions for use

The use of a quantity of material in an unventilated or confined space may result in increased exposure and an irritating atmosphere developing.

Before starting, consider control of exposure by mechanical ventilation.

Technical data

Appearance.....Clear, colourless flammable liquid with amyl acetate scent saturated on a towel; miscible with water

Physical PropertiesLiquid. Mixes with water

Molecular Weight: Not Applicable
Melting Range (°C): Not Available
Solubility in water (g/L): Miscible
pH (1% solution): Not Available
Volatile Component (%vol): 30(VOC)
Relative Vapour Density (air=1): >1
Lower Explosive Limit (%): Not Available
Autoignition Temp (°C): Not Available
State: Liquid

Boiling Range (°C): >100
Specific Gravity (water=1): 0.986
pH (as supplied): 6.3
Vapour Pressure (kPa): Not Available
Evaporation Rate: Not Available
Flash Point (°C): 18 (PMCC)
Upper Explosive Limit (%): Not Available
Decomposition Temp (°C): Not Available
Viscosity: Not Available

Health & safety information

The product is highly flammable. A Material Safety Datasheet is available from the ITW Polymers & Fluids Customer Services Department upon request.

The information enclosed in this Technical Bulletin is as up to date and correct as possible as at the time of issue. The data provided in this Technical Bulletin should be used as a guide only, as the performance of the product will vary depending on differing operating conditions and application methods.

The sale of any product described in this Technical Bulletin will be in accordance with ITW Polymers & Fluids Pty Ltd Conditions of Sale, a copy of which is available on request. To the extent permitted by law, ITW Polymers & Fluids Pty Ltd excludes all other warranties in relation to this product.